



POLO[®]

Quality

is our first priority

GARDEN PIPES
& UPVC SOLVENT



PVC GARDEN PIPE

GARDEN PIPE SIZE RANGE


1/2" 2.0mm | 1/2" 2.5mm | 3/4" 2.0mm | 3/4" 2.5mm | 3/4" 3.0mm | 3/4" 3.5mm | 3/4" 4.0mm
1" 2.5mm | 1" 3.0mm | 1" 3.5mm | 1-1/4" 3.5mm | 1-1/2" 3.5mm | 2.0" 4.5mm

GENERAL APPLICABILITY OF "POLO" REINFORCED HOSES:

- ◆ Gardening uses
- ◆ Compressed air applications
- ◆ Industrial uses
- ◆ Pneumatic applications
- ◆ Construction
- ◆ Automobile services & Garage applications
- ◆ Welding Applications
- ◆ Mining & Rock Drilling
- ◆ Agricultural spraying such as insecticides, fertilizers & water
- ◆ Light application for oil suction
- ◆ Pest control
- ◆ Diesel oil, Mineral Oil, Light chemicals conveying

SALIENT FEATURE

- Strong and Durable
- With smooth internal surface it provides better flow characteristics
- Resistant to Corrosion, Rusting, Chemical, Scale Formation
- Easy to Handle
- No Weather Effect
- Different Colors





UPVC SOLVENT CEMENTS

FOR HIGH RISE - HIGH PRESSURE PLUMBING SOLUTIONS

Size Range: ASTM D-2564 STANDARDS

ADVANTAGES



Medium-bodied
uPVC Solvent
Cement



Solvent Cement for use
with un-plasticized
PVC Pipes & Fittings



Low VOC



Ideal product for
cold water plumbing



SALIENT FEATURES

Matchless Quality

Convenient to use

Ensure a strong & consistent weld


All schedules 1/2" dia, through 12" dia. pipe

For pressure & cold

Portable water & industrial piping system



 polopipes

 polopipes.com.pk



FIND US



HEAD OFFICE

Plot # 313, Al-Raai Road, Jia Musa
Shahdara, Lahore-Pakistan